



# **BUILDING LIFE CYCLE REPORT**

**SHD Stage 3 Submission**

Residential Development

at

Windmill,

Porterstown,

Dublin 15,

For

Kimpton Vale Ltd.

**Prepared By:**

McCossan O'Rourke Manning Architects

**On behalf of:**

Kimpton Vale Ltd.

**Issue Date:**

22-11-2019

## Table of Contents

INTRODUCTION .....	1
PROPOSED DEVELOPMENT .....	2
SECTION 01 .....	3
1.1. Property Management of the Common Areas of the development.....	3
1.2. Service Charge Budget .....	3
SECTION 02 .....	5
2.1. Energy and Carbon Emissions.....	5
2.2. Materials.....	7
2.2.1. Buildings.....	7
2.2.2. Material Specification.....	7
2.3. Landscape .....	8
2.4. Waste Management.....	8
2.5. Health & Well Being .....	8
2.6. Management .....	9
2.7. Transport .....	10
APPENDIX A:.....	11
APPENDIX B:.....	14

## INTRODUCTION

The Sustainable Urban Housing; Design Standards for New Apartments – Guidelines for Planning Authorities were published in March 2018 (hereafter referred to as the Apartment Guidelines). The Apartment Guidelines introduced a requirement to include details on the management and maintenance of apartment schemes. This is set out in Section 6.11 to 6.14 - “*Operation & Management of Apartment Developments*”, specifically Section 6.13.

Section 6.13 of the Apartment Guidelines 2018 requires that apartment applications shall:

*“shall include a building lifecycle report, which in turn includes an assessment of long term running and maintenance costs as they would apply on a per residential unit basis at the time of application”*

*“demonstrate what measures have been specifically considered by the proposer to effectively manage and reduce costs for the benefit of residents.”*

This Building Life Cycle Report document sets out to address the requirements of Section 6.13 of the Apartment Guidelines. The report is broken into two sections as follows:

### **Section 01:**

An assessment of long term running and maintenance costs as they would apply on a per residential unit basis at the time of application

### **Section 02:**

Measures specifically considered by the proposer to effectively manage and reduce costs for the benefit of residents.

## PROPOSED DEVELOPMENT

The overall development will consist of 211 No. apartment units, and ancillary facilities including a communal space and use of existing underground carpark and external open spaces.

The 211 No. apartments (133 no. 2-bed, 68 no. 1-Bed, 10 no. Studio) are contained in three blocks – Block J and Block K are 6 storeys including a penthouse level and block M & L ranges from 5 storeys to the north to 8 storeys to the south-west.

The building life cycle report relates to the 211 No. apartments only.

The development shares the site with existing blocks which are already completed and for which an owners management company is already in place. It is envisaged that a separate owners management company will be incorporated to manage the 211 new apartments.

## SECTION 01

### *AN ASSESSMENT OF LONG TERM RUNNING AND MAINTENANCE COSTS AS THEY WOULD APPLY ON A PER RESIDENTIAL UNIT BASIS AT THE TIME OF APPLICATION*

#### 1.1. Property Management of the Common Areas of the development

Property management agents will be engaged at an early stage of the development to ensure that all property management functions are dealt with for the development and that the running and maintenance costs of the common areas of the development are kept within the agreed annual operational budget.

The property management agents will enter into a contract directly with the Owners Management Company (OMC) for the ongoing management of the built development. This contract will be for a maximum period of 15 years and in the form prescribed by the PSRA.

The Property Management agents also has the following responsibilities for the apartment development once constructed:

- Timely formation of an Owners Management Company (OMC) – which will be a company limited by guarantee having no share capital. All future purchasers will be obliged to become members of this OMC.
- Preparation of annual service charge budget for the development common areas.
- Fair and equitable apportionment of the Annual operational charges in line with the Multi Units Development Act 2011 (MUD Act).
- Engagement of independent legal representation on behalf of the OMC in keeping with the MUD Act - including completion of Developer OMC Agreement and transfer of common areas.
- Transfer of documentation in line with Schedule 3 of the MUD Act.
- Estate Management.
- Third Party Contractors Procurement and management.
- OMC Reporting.
- Accounting Services.
- Corporate Services.
- Insurance Management.
- After Hours Services.
- Staff Administration.

#### 1.2. Service Charge Budget

The property management agent has a number of key responsibilities, primarily the compiling of the service charge budget for the development for agreement with the OMC. The service charge budget covers items such as cleaning, landscaping, refuse management, utility bills, insurance, maintenance of

mechanical/electrical lifts/ life safety systems, security, property management fee, etc., related to the development common areas in accordance with the Multi Unit Developments Act 2011 (“MUD” Act).

This service charge budget also includes an allowance for a Sinking Fund and this allowance is determined following the review of the Building Investment Fund (BIF) report prepared for the OMC. The BIF report once adopted by the OMC, determines an adequate estimated annual cost provision requirement based on the needs of the development over a 30-year cycle period. The BIF report will identify those works which are necessary to maintain, repair, and enhance the premises over the 30-year life cycle period, as required by the Multi Unit Development Act 2011.

In line with the requirements of the MUD Act, the members of the OMC will determine and agree each year at a General Meeting of the members, the contribution to be made to the Sinking Fund, having regard to the BIF report produced.

A sample format of the typical BIF report is set out in Appendix A.

*Note: the detail associated with each element heading i.e. specification and estimate of the costs to maintain / repair or replace, can only be determined after detailed design and the procurement/ construction of the development and therefore has not been included in this document.*

## SECTION 02

MEASURES SPECIFICALLY CONSIDERED BY THE PROPOSER TO EFFECTIVELY MANAGE AND REDUCE COSTS FOR THE BENEFIT OF RESIDENTS.

### 2.1. Energy and Carbon Emissions

The following are an illustration of the energy measures that are planned for the units to assist in reducing costs for the occupants.

Measure	Description	Benefit																														
<b>BER Certificates</b>	<p>A Building Energy Rating (BER) certificate will be provided for each dwelling in the proposed development which will provide detail of the energy performance of the dwellings. A BER is calculated through energy use for space and hot water heating, ventilation, and lighting and occupancy. It is proposed to target an A2/A3 rating for the apartments this will equate to the following emissions.</p> <p>A2 – 25-50 kwh/m2/yr with CO2 emissions circa 10kgCO2/m2 year A3 – 51-75 kwh/m2/yr with CO2 emissions circa 12kgCO2/m2 /year</p> <p>Note proposed Part L revisions will increase the energy efficiency standard required for residential units.</p>	Higher BER ratings reduce energy consumption and running costs.																														
<b>Fabric Energy Efficiency</b>	<p>The U-values being investigated will be in line with the requirements set out by the current regulatory requirements of the Technical Guidance Documents Part L, titled “Conservation of Fuel and Energy Buildings other than Dwellings”.</p> <p>Thermal bridging at junctions between construction elements and at other locations will be minimised in accordance Paragraphs 1.2.4.2 and 1.2.4.3 within the Technical Guidance Documents Part L. See below Table 1 of Part L, Building Regulations.</p>	Lower U-values and improved air tightness is being considered to help minimise heat losses through the building fabric, lower of energy consumption and thus minimise carbon emissions to the environment.																														
	<table border="1"> <caption>Table 1 Maximum elemental U-value (W/m<sup>2</sup>K)<sup>1,2</sup></caption> <thead> <tr> <th>Column 1 Fabric Elements</th> <th>Column 2 Area-weighted Average Elemental U-Value (Um)</th> <th>Column 3 Average Elemental U-value – Individual element or section of element</th> </tr> </thead> <tbody> <tr> <td colspan="3">Roofs</td> </tr> <tr> <td>Pitched roof</td> <td></td> <td></td> </tr> <tr> <td>- Insulation at ceiling</td> <td>0.16</td> <td></td> </tr> <tr> <td>- Insulation on slope</td> <td>0.16</td> <td>0.3</td> </tr> <tr> <td>Flat roof</td> <td>0.20</td> <td></td> </tr> <tr> <td>Walls</td> <td>0.21</td> <td>0.6</td> </tr> <tr> <td>Ground floors<sup>3</sup></td> <td>0.21</td> <td>0.6</td> </tr> <tr> <td>Other exposed floors</td> <td>0.21</td> <td>0.6</td> </tr> <tr> <td>External doors, windows and rooflights</td> <td>1.6<sup>4</sup></td> <td>3.0</td> </tr> </tbody> </table> <p>Notes:</p> <ol style="list-style-type: none"> <li>The U-value includes the effect of unheated voids or other spaces.</li> <li>For alternative method of showing compliance see paragraph 1.3.2.3.</li> <li>For insulation of ground floors and exposed floors incorporating underfloor heating, see paragraph 1.3.2.2.</li> <li>Windows, doors and rooflights should have a maximum U-value of 1.6 W/m<sup>2</sup>K when their combined area is 25% of floor area. However areas and U-values may be varied as set out in Table 2.</li> </ol>	Column 1 Fabric Elements	Column 2 Area-weighted Average Elemental U-Value (Um)	Column 3 Average Elemental U-value – Individual element or section of element	Roofs			Pitched roof			- Insulation at ceiling	0.16		- Insulation on slope	0.16	0.3	Flat roof	0.20		Walls	0.21	0.6	Ground floors <sup>3</sup>	0.21	0.6	Other exposed floors	0.21	0.6	External doors, windows and rooflights	1.6 <sup>4</sup>	3.0	
Column 1 Fabric Elements	Column 2 Area-weighted Average Elemental U-Value (Um)	Column 3 Average Elemental U-value – Individual element or section of element																														
Roofs																																
Pitched roof																																
- Insulation at ceiling	0.16																															
- Insulation on slope	0.16	0.3																														
Flat roof	0.20																															
Walls	0.21	0.6																														
Ground floors <sup>3</sup>	0.21	0.6																														
Other exposed floors	0.21	0.6																														
External doors, windows and rooflights	1.6 <sup>4</sup>	3.0																														
<b>Energy Labelled White Goods</b>	<p>The white good package (where provided) in the apartments will be of a very high standard and have a high energy efficiency rating. It is expected that the below appliance ratings will be provided:</p> <ul style="list-style-type: none"> <li>• Oven - A plus</li> <li>• Fridge Freezer - A plus</li> <li>• Dishwasher - AAA</li> <li>• Washer/Dryer - B</li> </ul>	The provision of high rated appliances in turn reduces the amount of electricity required for occupants.																														
<b>Internal Common Areas &amp; External Lighting</b>	<p>Low energy luminaires and automatic controls such as motion sensors are to be provided for electric lighting to maximize efficiency in use. LED lamps will be preferred as far as is practical. Lighting will be provided to ensure a safe environment for pedestrians, cyclists and moving vehicles, to deter anti-social behavior and to limit the environmental impact of artificial lighting on existing flora and fauna in the area.</p>	Low energy lamps and automatic controls improve energy efficiency. Adequate lighting levels ensure safe environments.																														



The following are **Low energy technologies** that are being considered for the development and during the design stage of the development in order to meet the requirements of Part L of the Building Regulations and to meet the upcoming Near Zero Energy Building standard if required. The specific combination from the list below will be decided on and then implemented to achieve the A2/A3 BER Rating.

Measure	Description	Benefit
<b>Condensing Boilers</b>	If gas fired heating is adopted, condensing boilers will be provided as they have a higher operating efficiency, typically over 90%, than standard boilers and have the benefit of lower fuel consumption resulting from the higher operating efficiencies.	Condensing boiler have lower fuel consumption resulting from the higher operating efficiencies.
<b>Mechanical Ventilation Heat Recovery</b>	Centralised mechanical ventilation will be provided to all dwellings to ensure that the air quality within the dwellings will be adequate. The inclusion of Heat Recovery Ventilation into the centralised ventilation system will be considered and assessed in order to minimise the energy usage within the dwelling.	Mechanical Heat Recovery Ventilation provides ventilation with low energy usage. The MVHR reduces overall energy and ensures a continuous fresh clean air supply.
<b>PV Solar Panels</b>	PV Solar Panels will be considered in order to meet the renewable energy contribution required by Part L of the Building Regulations. These panels convert sunlight into electricity which can be used within the dwelling. The panels are typically placed on the South facing side of the building to maximise the solar exposure.	PV Solar Panels offer the benefit of reducing fossil fuel consumption and carbon emissions to the environment.  They also reduce the overall requirement to purchase electricity from the grid.
<b>Air Source Heat Pump</b>	As part of the overall energy strategy for the development , the use of Air Source Heat Pumps will be assessed to determine their technical and commercial feasibility. These systems extract heat energy from the outside air and, using a refrigerant cycle, raise the temperature of the heat energy using a refrigerant vapour compression cycle.	Air source heat pumps use electrical energy from the grid to drive the refrigerant cycle but do so extremely efficiently. Modern heat pumps will typically provide 2.5 to 4 times more heat energy to the dwelling than the electrical energy they consume.
<b>Exhaust Air Heat Pump</b>	As part of the overall energy strategy for houses, the use of Air Source Heat Pumps will be assessed to determine their technical and commercial feasibility. These systems extract heat energy within the dwelling from the air exhausted from wet areas and kitchen and, using a refrigerant cycle, raise the temperature of the heat energy using a refrigerant vapour compression cycle.	Air source heat pumps use electrical energy from the grid to drive the refrigerant cycle but do so extremely efficiently. Modern heat pumps will typically provide 3.5 to 5 times more heat energy to the dwelling than the electrical energy they consume.
<b>Combined Heat and Power</b>	Combined Heat and Power, (CHP), is a technology being evaluated for the apartment developments within the scheme as part of a Community Heating System. This technology generates electricity and captures the waste heat from the generation unit that can be used within the heating systems in the development.	CHP can achieve energy efficiencies by reusing waste heat from the unit to meet the space heating and domestic hot water needs of the apartments.  As electricity from CHP is both generated and consumed onsite in common areas.
<b>E-car Charging Points</b>	Within the basement parking areas, ducting shall be provided from a local landlord distribution board to parking spaces. This will enable the management company the option to install a number of E-car charging points within the basement carpark to cater for E-car demand of the residence. Ducting and on street infrastructure will also be provided throughout the housing development to provide EV charging facilities in on-street parking spaces. This system operates on a single charge point access card. A full re-charge can take from one to eight hours using a standard charge point.	Providing the option of E-car charging points will allow occupants to avail of the ever-improving efficient electric car technologies.

## 2.2. Materials

The practical implementation of the Design and Material principles has informed the design of internal layouts, detailing of the proposed apartment buildings, and building facades. The façade materials will consist of brick, render, stone, glazing, zinc and pressed metal.

### 2.2.1. Buildings

Apartment Buildings are designed in accordance with the Building Regulations, in particular Part D 'Materials and Workmanship', which includes all elements of the construction. The Design Principles and Specification are applied to both the apartment units and the common parts of the building and specific measures taken include:

Measure Description	Benefit
Daylighting to circulation areas wherever possible	Reduces the requirement for artificial lighting
Natural/Passive ventilation system to circulation areas. The requirements for AOV shafts adjoining circulation areas have been minimised as much as possible.	Avoids costly mechanical ventilation systems and associated maintenance and future replacement.
The basement carpark is naturally ventilated in order to minimize / eliminate the need for mechanical ventilation.	Avoids costly mechanical ventilation systems and associated maintenance and future replacement
External paved and landscaped areas	All of these require low/minimal maintenance
Plant is located at ground floor level for ease for access. (except for any PV/solar panels which may be located on the roof)	Allows for easier maintenance and replacements as necessary

### 2.2.2. Material Specification

Measure Description	Benefit
<p>Consideration is given to the requirements of the Building Regulations and includes reference to BS 7543:2015, 'Guide to Durability of Buildings and Building elements, Products and Components', which provides guidance on the durability, design life and predicted service life of buildings and their parts.</p> <p>The common parts are designed to incorporate the guidance, best practice principles and mitigations of Annexes of BS 7543: 2015 including:</p> <ul style="list-style-type: none"> <li>• Annex A Climatic Agents affecting Durability</li> <li>• Annex B Guidance on materials and durability</li> <li>• Annex C Examples of UK material or component failures</li> <li>• Annex D Design Life Data sheets</li> </ul>	Ensures that the long-term durability and maintenance of Materials is an integral part of the Design and Specification of the proposed development.
Use of brickwork, rendered panels, stone and profiled metal cladding to envelope.	Requires minimal on-going maintenance.
Use of factory finished and alu or uPVC windows and doors, and powder coated steel balconies	Requires minimal on-going maintenance.

### 2.3. Landscape

Measure	Description	Benefit
<b>Site Layout and Design</b>	Proposed surface parking spaces are provided with permeable paving. The courtyard area has a mixture of soft and hard landscaping.	SUDs drainage system and landscape maintenance preferable Attenuation reduces the burden on vulnerable rainwater goods, resulting in fewer elements that could require replacement or repair.
<b>Hard Landscaping Materials</b>	Sustainable, robust materials, with high slip resistance to be used for paving. Durable and robust equipment (e.g. play, exercise, fencing etc.) to be used throughout.	Robust materials and elements reduce the frequency of required repair and maintenance.
<b>Soft Landscaping</b>	A selection including native trees and planting is proposed. Hard and soft landscaped areas are balanced to ensure a quality public environment.	High quality soft landscaping improves the general quality of the environment for residents.

### 2.4. Waste Management

The following measures illustrate the intentions for the management of Waste.

Measure	Description	Benefit
<b>Construction and Operational Waste Management Plan</b>	The application is accompanied by a Construction and Operational Waste Management Plan prepared by the applicant	The report demonstrates how the scheme has been designed to comply with best practice.
<b>Storage of Non-Recyclable Waste and Recyclable Household Waste</b>	Access to centralised bin storage areas in the basement is provided via staircases and lifts in the courtyards adjacent to the core entrances.	Easily accessible by all residents and minimises potential littering of the scheme
	Domestic waste management strategy: <ul style="list-style-type: none"> <li>• Grey, Brown and Green bin distinction.</li> <li>• Competitive tender for waste management collection.</li> </ul>	Helps reduce potential waste charges.
<b>Composting</b>	Organic waste bins to be provided throughout.	Helps reduce potential waste charges.

### 2.5. Health & Well Being

The following are illustrations of how the health and well-being of future residents are considered.

Measure	Description	Benefit
<b>Natural / Day Light</b>	The buildings have been favorably orientated. The design, separation distances and layout of the apartment blocks have been designed to optimize the ingress of natural daylight/sunlight to the proposed dwellings to provide good levels of natural light.	Reduces reliance on artificial lighting thereby reducing costs.
<b>Accessibility</b>	All units will comply with the requirements of Part M.	Reduces the level of adaptation, and associated costs, potentially necessitated by residents' future circumstances.

Measure	Description	Benefit
<b>Security</b>	<p>The scheme is designed to incorporate passive surveillance with the following security strategies likely to be adopted:</p> <ul style="list-style-type: none"> <li>• CCTV monitoring details</li> <li>• Secure bicycle stands</li> <li>• Routine access fob audits</li> </ul>	Help to reduce potential security/management costs.
<b>Natural Amenity</b>	A large Public open space and linear park is provided in the scheme. Generous communal open space courtyards are also provided within the scheme.	Facilitates community interaction, socialising and play – resulting in improved wellbeing

## 2.6. Management

Consideration has been given to the ensuring the homeowners have a clear understanding of their property

Measure	Description	Benefit
<b>Home User Guide</b>	<p>Once a purchaser completes their sale, a homeowner box will be provided which will include:</p> <ul style="list-style-type: none"> <li>• <b>Homeowner manual</b> – this will provide important information for the purchaser on details of their new property. It typically includes details of the property such as MPRN and GPRN, Information in relation to connect with utilities and communication providers, Contact details for all relevant suppliers and User Instructions for appliances and devices in the property.</li> <li>• <b>A Residents Pack</b> prepared by the OMC which will typically provide information on contact details for the Managing agent, emergency contact information, transport links in the area and a clear set of rules and regulations.</li> </ul>	Residents are as informed as possible so that any issues can be addressed in a timely and efficient manner.

## 2.7. Transport

Measure	Measure Description	Benefit
<b>Access to Public Transport</b>	<p>The site is located c 550m to Coolmine Trian Station with a commuter service to The City Centre.</p> <p>Clonsilla Road, to the north of the site, is serviced by the No. 39 Dublin Bus service which travels between Ranelagh and Ongar via the city centre. The No220 also departs from here. Diswellstown Road to the west of the site is serviced by the No. 37 Dublin Bus service which travels between Ranelagh and Blanchardstown via the city centre.</p>	<p>The availability, proximity and ease of access to high quality public transport services contributes to reducing the reliance on the private motor vehicle for all journey types.</p>
<b>Permeable Connections</b>	<p>Provision and subsequent maintenance of dedicated pedestrian and cycle infrastructure on-site, and their connectivity with adjoining third party lands and the off-site networks, providing convenient access to local services.</p> <p>The development provides a portion of the Royal Canal Greenway as per Fingal County Council objective.</p>	<p>Ensure the long-term attractiveness of walking and cycling to a range of local education, retail and community facilities and services.</p>
<b>Bicycle Storage</b>	<p>The provision of high quality secure bicycle parking facilities in the basement.</p>	<p>Accommodates the uptake of cycling and reducing the reliance on the private motor vehicle.</p>
<b>E-car Facilities</b>	<p>Ducting will be provided to designated E-car charging surface spaces. Ducting for e-car charging will also be provided in the basement. The basement ducting can be easily expanded as demand increases in the future.</p>	<p>To accommodate the growing demand for E-car which assist in decarbonising society and reducing oil dependency.</p>

## APPENDIX A:

### ITEMS INCLUDED IN A TYPICAL BIF

The BIF table below illustrates what would be incorporated for the calculation of a Sinking Fund.

<b>BUILDING INVESTMENT FUND (SINKING FUND) CALCULATIONS</b>			
<b>Ref</b>	<b>Element</b>	<b>Life Expectancy</b>	<b>Amount</b>
<b>1.00</b>	<b>Roofs</b>		
1.01	Replacement felt roof covering incl. insulation to main roofs/ overhaul to green roofs.	18	
1.02	Replacement parapet details	18	
1.03	Replacement/ repairs to facias	18	
1.04	Replace roof access hatches / roof lights	25	
1.05	Specialist Roof Systems - Fall arrest	25	
1.06	Overhaul waterproofing details to terraces / balconies	12	
<b>2.00</b>	<b>Elevations</b>		
2.01	Recoat zinc / metal panels	25	
2.02	Minor repairs and preparation for decorations of rendered areas	18	
2.03	Replace exit/ entrance doors	25	
2.04	Replace Rainwater goods	25	
2.05	Recoat powder coated Finishes to balconies / Grills to Basement vents	20	
2.06	Periodic replacement and overhauling of external fixings	5	
2.07	Replace Balcony floor finishes	25	
<b>3.00</b>	<b>Staircores &amp; lobbies (6 No. Cores)</b>		
3.01	Decorate Ceilings	7	
3.02	Decorate Walls	7	

3.03	Decorate Joinery	7	
3.04	Replace fire doors	25	
3.05	Replace carpets (stairwells & lobbies)	12	
3.06	Replace entrance mats	10	
3.07	Replace nosings	12	
3.08	Replace ceramic floors tiles Entrance lobbies	20	
3.09	Fixed Furniture & Equipment - Provisional Sum	18	
<b>4.00</b>	<b>Basement &amp; Car Parking</b>		
4.01	Remove/ Replace ceiling insulation	25	
4.02	Repaint parking spaces & Numbering	7	
4.03	Replace store doors, ironmongery & digi-locks	15	
4.04	Replace Bike stands	25	
4.05	Replace basement access control at entrance & core entrances	12	
<b>5.00</b>	<b>M&amp;E Services</b>		
5.01	General - Internal relamping	7	
5.02	Replace Internal light fittings	18	
5.03	Replace External light fittings (lights at entrance lobbies)	18	
5.04	Replace smoke detector heads	18	
5.05	Replace manual break glass units/ disabled refuge call points	18	
5.06	Replace Fire alarm panel	18	
5.07	Replace lift car and controls	25	
5.08	Replace AOV's	25	
5.08	Replace security access control installation	15	
5.09	Sump pumps replacement	15	
5.10	External Mains Water connection	20	
5.12	Electrical Mains and Sub Mains distribution	20	
5.13	Emergency Lighting	20	
5.14	Overhaul and/or replace Waste Pipes, Stacks & Vents	20	

<b>6.00</b>	<b>Exterior</b>		
6.01	External boundary treatments - Recoat powder coated Finishes to railings	60	
6.02	Replace external signage	18	
6.03	Replace cobblelock areas	18	
6.04	15-year overhaul of soft landscaping generally	15	
6.05	Replace CCTV provision	12	
6.06	External Handrails and balustrade	18	



## APPENDIX B:

### Phases of the Life Cycle of BS7543; 2015

Figure 4 Phases of the life cycle

